



MEDAX

# FLATBED TRAILERS FOR PROFESSIONALS



FLATBED TRAILERS **MEDAX**

MULTIPURPOSE TRAILERS



PLANT TRAILERS



**FLATBED TRAILERS**





**“ONLY THE TOUGHEST  
EQUIPMENT WILL DO”**

## Medax, the heavyweight champion

The Medax flatbed trailers are built for intensive use. There is a range of 29 models with a gross weight capacity ranging from 2600 to 3500 kg, so there will always be a model to meet your transportation needs. Its smart design, maintenance-friendly construction and high-quality finishes make the Medax the flatbed trailer of choice for the professional user.



Medax tandem



Medax tridem



Medax Go-Getter tandem



Medax Go-Getter tridem

The loading floor is supported by a heavy-duty steel space frame. The axles, wheels, braking system, and jockey wheel are all of premium quality. The built-in lockers, the side panels that neatly fold underneath the loading floor, and the multiple fixed tie-down points make it ideal for working with Medax.

## Medax Go-Getter

The Medax Go-Getter is a striking flatbed trailer with many extras such as black panels, black rims, and a black 55L toolbox on an A-frame, fully equipped with LED lighting. Get your Medax Go-Getter today!





Robust spaceframe




Long tie-hooks under the floor



Build-in lockers  
Easy and safe to use



Back-panel provided with extension supports



Many tie-hooks at the innerside



Split sides (length > 5 meter)



Integrated marker lights (LED) at the sides



## Customise your Medax

With a wide selection of accessories, you can customise your Medax to suit your needs. You can choose from propstands, winches, axle shock absorbers, spare wheels with supports, marker lights, high covers or ladder racks. Hulco has it all - even a flatbed trailer without sides or ramps stored under the loading floor!




**“WE GET THE  
JOB DONE”**



Extra tie-down possibilities with the ladder rack of 80cm high are available. The spare wheel and its support can be mounted onto the ladder rack.



The Medax with high cover offers even more possibilities, available in internal heights of 180cm and 210cm.



All Medax models can be equipped with steel or aluminium ramps of a length of 250cm, which can be stored in the ramp holders.



Accessorie:  
Steel or aluminium ramps,  
stored in ramp holders



Accessorie:  
Propstands,  
in one-hand useage



Accessorie:  
Winch with support



Accessorie:  
Axle shock absorbers  
for extra comfort



Accessorie:  
Spare wheel  
with support



Accessorie:  
Position lights (LED)



Accessorie:  
High cover provided with  
light transmitting tarpaulin



Black Toolbox  
(55L)


Integrated  
markerlights  
(LED)

Black aluminium  
side panel


Black  
steel rims



Tail light  
LED



Type	Medax-2 2600 335x183	Medax-2 2600 405x183	Medax-2 2600 405x203	Medax-2 2600 502x203	Medax-2 3000 335x183	Medax-2 3000 405x183	Medax-2 3000 405x203	Medax-2 3000 405x223	Medax-2 3000 502x203	Medax-2 3000 502x223	Medax-2 3000 611x203	Medax-2 3000 611x223	Medax-2 3500 335x183	Medax-2 3500 405x203
<b>Gross capacity</b>	2600 kg	2600 kg	2600 kg	2600 kg	3000 kg	3000 kg	3000 kg	3000 kg	3000 kg	3000 kg	3000 kg	3000 kg	3500 kg	3500 kg
<b>Unladen trailer weight</b>	560 kg	610 kg	625 kg	710 kg	570 kg	620 kg	635 kg	660 kg	720 kg	750 kg	795 kg	830 kg	620 kg	690 kg
<b>Load capacity</b>	2040 kg	1990 kg	1975 kg	1890 kg	2430 kg	2380 kg	2365 kg	2340 kg	2280 kg	2250 kg	2205 kg	2170 kg	2880 kg	2750 kg
<b>Axes pcs</b>	2	2	2	2	2	2	2	2	2	2	2	2	2	2
<b>Braked version</b>	v	v	v	v	v	v	v	v	v	v	v	v	v	v
<b>Wheel / tyresize</b>	185/70R13	185/70R13	185/70R13	185/70R13	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	195/50R13	185/60R12
<b>Steel rims</b>	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver
<b>Panels anodised aluminium</b>	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver	silver
<b>Floor type</b>	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood
Internal length (A)	335 cm	405 cm	405 cm	502 cm	335 cm	405 cm	405 cm	405 cm	502 cm	502 cm	611 cm	611 cm	335 cm	405 cm
Internal width (B)	183 cm	183 cm	203 cm	203 cm	183 cm	183 cm	203 cm	223 cm	203 cm	223 cm	203 cm	223 cm	183 cm	203 cm
Floor height (C)	68 cm	68 cm	68 cm	68 cm	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm	66 cm	66 cm
A-Frame length (D)	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm
Total length (E)	490 cm	560 cm	560 cm	657 cm	490 cm	560 cm	560 cm	560 cm	657 cm	657 cm	766 cm	766 cm	490 cm	560 cm
Total width (F)	190 cm	190 cm	210 cm	210 cm	190 cm	190 cm	210 cm	230 cm	210 cm	230 cm	210 cm	230 cm	190 cm	210 cm
Total height (G)	98 cm	98 cm	98 cm	98 cm	95 cm	95 cm	95 cm	95 cm	95 cm	95 cm	95 cm	95 cm	96 cm	96 cm
Internal height (H)	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm





Type	Medax-2 3500 405x223	Medax-2 3500 502x203	Medax-2 3500 502x223	Medax-2 3500 611x203	Medax-2 3500 611x203 Go-Getter	Medax-2 3500 611x223	Medax-2 3500 611x223 Go-Getter	Medax-3 3500 405x203	Medax-3 3500 405x223	Medax-3 3500 502x203	Medax-3 3500 502x223	Medax-3 3500 611x203	Medax-3 3500 611x203 Go-Getter	Medax-3 3500 611x223	Medax-3 3500 611x223 Go-Getter
<b>Gross capacity</b>	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg
<b>Unladen trailer weight</b>	715 kg	775 kg	805 kg	850 kg	850 kg	885 kg	885 kg	750 kg	780 kg	830 kg	860 kg	905 kg	905 kg	940kg	940kg
<b>Load capacity</b>	2785 kg	2725 kg	2695 kg	2650 kg	2650 kg	2615 kg	2615 kg	2750 kg	2720 kg	2670 kg	2640 kg	2595 kg	2595 kg	2560 kg	2560 kg
<b>Axles pcs</b>	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3
<b>Braked version</b>	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
<b>Wheel / tyresize</b>	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12
<b>Steel rims</b>	silver	silver	silver	silver	black	silver	black	silver	silver	silver	silver	silver	black	silver	black
<b>Panels anodised aluminium</b>	silver	silver	silver	silver	black	silver	black	silver	silver	silver	silver	silver	black	silver	black
<b>Floortype</b>	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood	plywood
Internal length (A)	405 cm	502cm	502 cm	611 cm	611 cm	611 cm	611 cm	405 cm	405 cm	502 cm	502 cm	611 cm	611 cm	611 cm	611 cm
Internal width (B)	223 cm	203 cm	223 cm	203 cm	203 cm	223 cm	223 cm	203 cm	223 cm	203 cm	223 cm	203 cm	203 cm	223 cm	223 cm
Floor height (C)	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm
A-Frame length (D)	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm
Total length (E)	560 cm	657 cm	657 cm	766 cm	766 cm	766 cm	766 cm	560 cm	560 cm	657 cm	657 cm	766 cm	766 cm	766 cm	766 cm
Total width (F)	230 cm	210 cm	210 cm	210 cm	210 cm	230 cm	230 cm	210 cm	230 cm	210 cm	230 cm	210 cm	210 cm	230 cm	230 cm
Total height (G)	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm
Internal height (H)	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm

Accessories	Medax breedte 183 cm	Medax breedte 203cm	Medax breedte 223 cm	Medax Go-Getter
High cover (internal height 180 cm)	v	v	v	v
High cover (internal height 210 cm)	v	v	v	v
Propstands	v	v	v	v
Ladder rack (height 80 cm)	v	v	v	v
Aluminum or steel ramps with ramp holders	v	v	v	v
Winch with Medax winch holder	v	v	v	v
Axle shock absorbers	v	v	v	v
Position lights (LED)	v	v	v	v
Spare wheel with support	v	v	s	s
Reservewiel met -steun	v	v	v	v

s standard equipment

v deliverable as option



# Hulco

## For professionals with standards.

You've got everything you need right behind you, because Hulco has been here for you since 2003. Hulco Trailers are for the real professional; they are trailers for the toughest jobs, with uncompromising quality, indestructible construction, and premium quality materials and perfect finish. We don't shy away from complexity, and we exceed the wishes of professionals due to our well-thought-out design and automated processes. This allows us to consistently deliver the highest quality, carefully assembled and quality-controlled products, including accessories from our own factory. And everything we do, we do for the Hulco user; that is why our offer is so competitive.



Visit: [www.hulco.eu](http://www.hulco.eu)

Your Hulco dealer

HB2302EN-MED



**A** Low loader trailers **BSX**

**A** Low loader trailers **GT-O**

**A** Low loader trailers **GT-R**

**A** Flatbed trailers **ASX**  
(Incl. ramps)

**A** Flatbed trailers **PSX**

**H** Flatbed trailers **MEDAX**

**A** Flatbed trailers **PLT**

**H** Multipurpose trailers  
**CARAX**

**A** Multipurpose trailers  
**MSX-Basic / MSX**

**A** Car transporters  
**AMT**

**A** Car transporters  
**AMT-ECO**

**A** 3-way tipping trailers  
**KSX**

**A** Backwards tipping trailers  
**KLT**

**A** Hard top cover trailers  
**GT-HT / GT-VT1**

**A** Box van trailers  
**GT-VT2 / GT-VT3 / GT-VT4**

**H** Plant trailers  
**TERRAX**

**H** Plant trailers  
**TERRAX-Basic**

**A** Horse trailers **PTH**

**A** Welfare trailers **PTS**

Hulco Go-Getter



### The Anssems Group:

#### Hulco Trailers GmbH

Wiener Straße 34  
D-48455 Bad Bentheim-Gildehaus

#### Anssems Aanhangwagens B.V.

Ericssonstraat 50  
NL-5121 ML Rijen

#### Anssems Anhänger GmbH

Londoner Straße 15  
D-48455 Bad Bentheim-Gildehaus

#### Anssems Remorques Sarl

Rue Pierre Brossolette  
FR-58600 Garchizy